

Manage nodes

ActiveServer can be run in either a **single node** or **multi node** setup. The details for these nodes can be viewed on the **Deployment** page under the **Nodes** tab. This is also where you can set the logging level for a particular node, if it requires a different setting to the [system wide](#) log level setting.

Info

A guide on multi node setups will be provided in a future document version.

User Access

A user requires the **System admin** role to view and edit node settings.

Deployment

administrator

Nodes

Activation status

Node list

Select a row to view details.

Showing 1 to 1 of 1 Nodes. Details of selected Node are displayed below.

Node name	Host name	Status
Node c22c22c2	nnnnng-pppppp-as-888cfdc888-mt8t8	ONLINE

Node c22c22c2

Details

Node name

Node c22c22c2

Node ID

c22c22c2-4cc7-4fc2-859c-3c3cc3f3c0c3

Operating system

Linux

Java version

1.8.0_201

Physical memory size

16636354560

CPU architecture

amd64

Cores

1

IP address

100.99.11.119

Logging

Use system default

Enabled

Log level

INFO

Save

Node details

Select a node from the **Node list** to view its details:

- **Node name** - editable name that can be given to the node to keep track of status.
- **Node ID** - system generated UUID for the node in the database.
- **Operating system** - operating system being used for the node's server.
- **Java version** - Java version being used for the node's server.
- **Physical memory size** - total amount of physical memory installed on the node's server.
- **CPU architecture** - type of CPU architecture chip installed on the node's server.
- **Cores** - amount of logical cores installed on the node's server.
- **IP address** - IP address that the node is hosted on.

Logging

If a different level of logging is required for a particular node, the following settings can be changed:

- **Use system default** - If **Enabled**, the node will use the [system wide](#) log level setting. If **Disabled**, log level for the node can be changed manually.
- **Log level** Available to be edited if **Use system default** is **Disabled**, allowing the [log level](#) to be changed.