

Front-end implementation (v1)

In this section, we will show the integration implementation for the front-end of the merchant application using our [sample code](#) based on the **Auth API version 1**.

Important

GPayments strongly recommends all new implementations of **ActiveServer** to integrate with version 2 of the Auth API from the beginning, as version 1 will be deprecated in a future release. Refer to the [API migration from v1 to v2 guide](#) for a summary of the changes and migration process from **v1** to **v2**. To check the new **API v2** implementation, refer [here](#).

The following files in the sample code package are essential for 3DS2 authentication in the front-end. Check the [directory tree](#) for details if required.

- `v1/process.html` : Implements all the [authentication sequences](#).
- `v1/3ds-web-adapter.js` : The core component of the **3DS Client** that passes 3DS2 data from the front-end to the back-end and establishes the required iframes for callback URLs.
- `notify_3ds_events.html` : Call back page used for **ActiveServer** to trigger the next step in authentication ([Step. 7](#) and [Step. 18\(C\)](#)). This page delivers authentication events to the checkout process.

The following sections detail the front-end implementation based on the [authentication processes](#) and [authentication sequence](#).

Process 1: Initialise the Authentication

To initialise an authentication, the front-end needs to:

- Send an `Initialise authentication` message to the **3DS Requestor** ([Step. 1](#) and [Step. 2](#)).
- Receive the response message and setup a callback `iframe` ([Step. 5](#) and [Step. 6](#)).

When a user clicks the "**Checkout (v1)**" button in the checkout page, the browser stores the necessary data to session storage and goes to the `process.html` page.

```
//checkout.html
function checkout() {
  var apiVersion = getApiVersion();
  switch (apiVersion) {
    case "v1":
      goApiV1();
      break;
    ...
  }
}

function goApiV1() {
  var sessionData = genSessionData();
  sessionData.messageCategory = "pa";
  sessionStorage.setItem("sessionData", JSON.stringify(sessionData));
  window.location.href = "/v1/process";
}

function genSessionData() {
  var sessionData = {};
  sessionData.channel = "brw";
  sessionData.authData = genAuthData();
  sessionData.backButtonType = "toShop";
  return sessionData;
}
```

Note

The `sessionData` contains:

- **channel**: `brw` or `3ri`. Here we used the `brw` channel for a browser-based authentication.
- **messageCategory**: either `pa` - payment authentication or `npa` - non-payment authentication. Here we use `pa` as an example.
- **authData**: all the necessary data in JSON format. For the data structure, refer to the [API document](#).
- **backButtonType**: indicates the `back` button type in the process page. Here we make the `back` button as `Back to shop`.

NOTE: The use of `sessionStorage` for inter-page communications is just for demo purposes. The actual implementation of 3DS Requestor should choose the best approach for transferring parameters between pages for the integration with the existing checkout process.

In the `process.html` page, it receives the `sessionData` and starts the 3DS2 processes. Firstly, it sends information for initialising an authentication to the **3ds-web-adapter** ([Step. 1](#)).

```
//process.html
var sessionData = JSON.parse(sessionStorage.getItem("sessionData"));
...
switch (sessionData.channel) {
  case "brw":
    var container = $('#iframeDiv');
    brw(sessionData.authData, container, _callbackFn,
    sessionData.messageCategory,
    sessionData.options, sessionData.transType);
    break;
  ...
}
```

Note

The `brw()` function in **3ds-web-adapter** takes the following parameters:

- `authData`: all the necessary data in JSON format. For data structure, refer to the [API document](#).
- `container`: pre-defined container for the **3ds-web-adapter** to generate `iframes`.
- `callbackFn`: call back function to deal with the authentication results.
- `messageCategory`: either `pa` - payment authentication or `npa` - non-payment authentication.
- `options`: optional parameters for 3DS Requestor. For example, the 3DS Requestor can choose to cancel the challenge by setting `options.cancelChallenge=true`.
- `transType`: parameter to select **DS Profile**. `transType=prod` to use production directory server, otherwise use TestLab directory server.

Next, in the **3ds-web-adapter**, method `brw()` sends information to the 3DS Requestor back-end to initialise authentication ([Step. 2](#)).

```

//3ds-web-adapter.js
function brw(authData, container, callbackFn, messageCategory, options,
transType) {

  _callbackFn = callbackFn;
  iframeContainer = container;
  if (options) {
    _options = options;
  }
  //generate an random number for iframe Id
  iframeId = String(Math.floor(100000 + Math.random() * 900000));

  //3DS Requestor url for Initialise Authentication
  var initAuthUrl;
  if (messageCategory) {
    if (messageCategory === "pa" || messageCategory === "npa") {
      initAuthUrl = "/v1/auth/init/" + messageCategory;
    } else {
      _onError({"Error": "Invalid messageCategory"});
    }
  } else {
    initAuthUrl = "/v1/auth/init/" + "pa";
  }

  //add trans-type=prod to use production directory server
  if (transType === "prod") {
    initAuthUrl = initAuthUrl + "?trans-type=prod";
  }

  console.log('init authentication', authData);

  //Send data to /auth/init/{messageCategory} to do Initialise authentication
  (Step 2)
  doPost(initAuthUrl, authData, _onInitAuthSuccess, _onError);
}

```

The `brw()` function makes a POST request to the **back-end** with the `initAuth` API message. The object is posted in JSON format. To check how the **back-end** handles this request, refer [here](#).

The **3ds-web-adapter** uses the `_onInitAuthSuccess()` function to handle the successful response (Step. 5).

```

//3ds-web-adapter.js
function _onInitAuthSuccess(data) {
  console.log('init auth returns:', data);

  if (data.threeDSServerCallbackUrl) {

    serverTransId = data.threeDSServerTransID;
    $('<iframe id="' + "3ds_" + iframeId
      + '" width="0" height="0" style="visibility: hidden;" src="'
      + data.threeDSServerCallbackUrl + '"></iframe>')
      .appendTo(iframeContainer);

    if (data.monUrl) {
      // optionally append the monitoring iframe
      $('<iframe id="' + "mon_" + iframeId
        + '" width="0" height="0" style="visibility: hidden;" src="'
        + data.monUrl + '"></iframe>')
        .appendTo(iframeContainer);
    }
  } else {
    _onError(data);
  }
}

```

The **3ds-web-adapter** inserts two hidden `iframes` into the checkout page (Step. 6). The first one is for (Step. 7) so that the browser information can be collected by the ACS and ActiveServer using the `threeDSServerCallbackUrl`.

The second one is an optional monitoring iframe to guarantee that an `InitAuthTimedOut` event will be returned by **ActiveServer** when any errors occur during browser info collecting or 3DS Method processing. This event has a timeout of 15 seconds.

Info

Step. 1 to Step. 7 of the sequence diagram are implemented by the end of this process.

Process 2: Execute Authentication

To execute authentication, the front-end needs to first finish the browser information collection and (if available), 3DS Method data collecting. After these 2 processes are done, `notify_3ds_event.html` will notify the `3ds-web-adapter` to continue with the authentication. In

this process, if for any reason that the data collecting failed or was not able to finish, the separate monitoring iframe (setup in the InitAuth process) will notify the `3ds-web-adapter` with an event `InitAuthTimedOut`, and then the authentication process will be terminated.

The following are the steps to execute the authentication:

- Implement or re-use the provided `notify_3ds_events.html` to receive events about data collecting.
- Send an `Execute authentication` message to the **3DS Requestor** ([Step. 8](#) and [Step. 9](#)) once events `_on3DSMethodSkipped` or `_on3DSMethodFinished` are notified.
- Handle the authentication result with frictionless flow or challenge flow ([Step. 13](#), [Step. 14\(F\)](#) or [Step. 14\(C\)](#)).

The `notify_3ds_events.html` is used to trigger the authentication process ([Step. 8](#)). The **3DS Requestor** will render `notify_3ds_events.html` with the variables `transId`, `callbackName` and an optional `param`. To check the back-end implementation, refer [here](#).

```

<!--notify_3ds_events.html-->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>3DSecure 2.0 Authentication</title>
</head>
<body>

<form>
  <input type="hidden" id="notifyCallback" name="notifyCallback"
value={{callbackName}}>
  <input type="hidden" id="transId" name="transId" value={{transId}}>
  <input type="hidden" id="param" name="param" value={{callbackParam}}>
</form>

<script src="https://code.jquery.com/jquery-3.3.1.min.js"
  integrity="sha256-FgpCb/KJQlLNfOu91ta32o/NMZxltwRo8QtmkMRdAu8="
  crossorigin="anonymous"></script>
<script>
  //notify parent check out page to proceed with rest procedures.

  var callbackFn = parent[$('#notifyCallback').val()];
  //callbackFn is defined in 3ds-notify handler method
  if (typeof callbackFn === 'function') {
    callbackFn($('#transId').val(), $('#param').val());
  }
</script>

</body>
</html>

```

You can see that depending on the `callbackName`, it will call different methods in the **3ds-web-adapter** (Step. 8). The value of `callbackName` should be `_onThreeDSMethodFinished`, `_onThreeDSMethodSkipped`, `_onAuthResult` or `_onInitAuthTimedOut`. For example, the `_onInitAuthTimedOut` event can be used when the 3DS Method is timed out.

An explanation of each method is below:

Event	Description
<code>_onThreeDSMethodFinished</code>	Notifies that the 3DS method is finished by ACS and it's time to call <code>_doAuth()</code>

Event	Description
<code>_onThreeDSMethodSkipped</code>	Notifies that the 3DS method has been skipped (Not available or other reasons) and it's time to call <code>_doAuth()</code> , Note regardless of 3DS Method is skipped or not, the 3DS Server browser information collecting is always performed prior to 3DS Method.
<code>_onAuthResult</code>	This event notifies that the authentication result is available to fetch. Used in frictionless and challenge flow (Step. 17(F) & 19(C)).
<code>_onInitAuthTimedOut</code>	Notifies that errors occurred during 3DS Method or browser info collecting. In this demo, the error message will be logged out and the authentication process will continue. Check <code>_onInitAuthTimedOut()</code> function in <code>3ds-web-adapter.js</code> for details.

Here, at [Step. 8](#) in our demonstration, the `callbackName` returned by **ActiveServer** will be either `_onThreeDSMethodFinished` or `_onThreeDSMethodSkipped` .

The **3ds-web-adapter** will call `_doAuth()` to make a POST request to execute authentication ([Step. 9](#)) once these events are received.

The backend then makes a call to the `auth` endpoint. To check how the **back-end** handles the request, refer [here](#).

```
//3ds-web-adapter.js
function _doAuth(transId) {

  console.log('Do Authentication for transId', transId);

  //first remove any 3dsmethod iframe
  $("#3ds_" + iframeId).remove();
  var authData = {};
  authData.threeDSRequestorTransID = transId;
  authData.threeDSSTransID = serverTransId;

  doPost("/v1/auth", authData, _onDoAuthSuccess, _onError);
}
```

The **3ds-web-adapter** uses `_onDoAuthSuccess()` function to handle the successful response ([Step. 13](#)).

```


//3ds-web-adapter.js
function _onDoAuthSuccess(data) {
  console.log('auth returns:', data);

  if (data.transStatus) {
    if (data.transStatus === "C") {
      // 3D requestor can decide whether to proceed the challenge here
      if (_options.cancelChallenge) {
        if (_options.cancelReason) {
          var sendData = {};
          sendData.threeDSSTransID = serverTransId;
          sendData.status = _options.cancelReason;
          doPost("/v1/auth/challenge/status", sendData, _onCancelSuccess,
            _onCancelError)
        } else {
          var returnData = _cancelMessage();
          _callbackFn("onAuthResult", returnData);
        }
      } else {
        data.challengeUrl ? startChallenge(data.challengeUrl) : _onError(
          {"Error": "Invalid Challenge Callback Url"});
      }

    } else {
      _callbackFn("onAuthResult", data);
    }
  } else {
    _onError(data);
  }
}

```

It performs different flows based on the returned `transStatus`.

 **Note**

The `transStatus` can be `Y`, `C`, `N`, `U`, `A`, and `R`

- `Y`: Authentication/Account Verification Successful
- `C`: Challenge/Additional authentication is required
- `N`: Not Authenticated/Account Not Verified
- `U`: Authentication/Account Verification Could Not Be Performed
- `A`: Attempts Processing Performed
- `R`: Authentication/Account Verification Rejected

For more information related to `transStatus`, refer to the [API document](#).

Frictionless authentication result

If the `transStatus` is not `C` (i.e. frictionless), the **3ds-web-adapter** will go to the frictionless flow (Step. 14(F)) and show the results using the `_callbackFn("onAuthResult", data)` (line 11).

```
//process.html
function _callbackFn(type, data) {

  switch (type) {
    case "onAuthResult":
      //display "Show results in separate page"
      $("#sepButton").removeClass("d-none");
      showResult(data);
      break;
  }
}
```

The `showResult(data)` function will display the results in the `process.html` page:

Test Results

[Back to Shop](#)

Test result values are displayed below

These values would generally be used to start the authorisation process. Select the "Back" button to restart this process.

dsTransID	822046a7-ea77-4332-9f12-eb295a38087a
eci	05
messageVersion	2.1.0
authenticationValue	AGMBAYVnCUQgAAAAAWcJAAAAAA=
transStatus	Y
threeDSServerTransID	d4236aec-f619-440c-9ddc-2e97895b44a9

Show results in separate page »

The frictionless authentication process stops at this point. The merchant checkout process can now move to the authorisation process as normal using the authentication result information.

i Info

The authentication result can also be shown in a separate page. This is covered in [process 3](#).

Continue challenge process

If the `transStatus` is `C`, a challenge is required from the ACS. It is up to the 3DS Requestor to decide whether it wants to continue the 3DS2 authentication and proceed to the challenge process or terminate the authentication process if a challenge is not desired. In this demo, the `options.cancelChallenge` parameter is used to indicate the 3DS Requestors decision on the challenge flow. This feature is outlined on the [BRW Test Page](#).

pencil Note

For demo purposes, the cancel challenge process is implemented in the front end javascript (`3ds-web-adapter`). For security reasons this process may need to be implemented in the back end on the production environment.

The `3ds-web-adapter` will check the `options.cancelChallenge` parameter. If `options.cancelChallenge=true`, the `3ds-web-adapter` will cancel the challenge. Optionally, `options.cancelReason` can also be set and sent to **ActiveServer** depending on the specified **Cancel Reason**. The specified reason will be sent by the `3ds-web-adapter` to the

`challengeStatus` endpoint in the **back-end**. To check how the **back-end** handles this request, refer [here](#).

The cancel challenge results screen should look similar to the screenshot below:

Test Results

Test result values are displayed below

These values would generally be used to start the authorisation process. Select the "Back" button to restart this process.

Challenge cancelled	You can get further challenge results by select the "Show results in separate page" button after at least 30 seconds
Cancel reason	CReqNotSent
threeDSServerTransID	932ecfb3-e768-4dd7-8103-6a00b6192b9f

[Show results in separate page »](#)

Back to BRW

If `options.cancelChallenge=true` is not present (or the value is set to false), the **3ds-web-adapter** will call `startChallenge()`, which inserts an `iframe` for the challenge window with `src` set to `challengeUrl` (Step. 14(C)) in order to show the challenge screen to the card holder.

```
//3ds-web-adapter.js
function startChallenge(url) {

  _callbackFn("onChallengeStart");
  //create the iframe
  $('<iframe src="' + url
    + '" width="100%" height="100%" style="border:0" id="' + "cha_" + iframeId
    + '"></iframe>')
  .appendTo(iframeContainer);
}

```

Note

If you want to test the challenge scenario, follow the guide [here](#).

You can see that the `iframe` class has been set to `width="100%"` and `height="100%"`. This is required because the `iframe` needs to resize according to the content provided by the ACS. The challenge screen should look similar to the screenshot below:

The screenshot shows a web form for authentication. At the top left is the 'Any Bank' logo, and at the top right is the 'VISA' logo. Below the logos is the heading 'Enter Your Authentication Data'. Underneath is a paragraph: 'Please enter your information in the field below to verify your identity for this purchase. This information is not disclosed to the merchant.' Below this is a text input field labeled 'Password:'. A large blue button with the text 'SUBMIT' is centered below the input field. At the bottom of the form are two links: 'More information' and 'Need help?', each with a small downward-pointing arrow.

The cardholder can now input the authentication data such as an OTP password and submit the challenge form. The ACS will authenticate the transaction and the card holder and return the challenge result.

After the challenge flow is finished, **ActiveServer** will call the `3ds-notify` entry point in the **3DS Requestor** backend with event `_onAuthResult` and then the **3DS Requestor** will render the `notify_3ds_events.html` page, similar to before (Step. 19(C)). The **3ds-web-adapter** calls the `_onAuthResult()` function to get the authentication results and displays them on the `process.html` page.

Info

In a production environment the ACS will perform complex risk-based authentication from the information obtained about the cardholder. Similarly, the authentication method (e.g. OTP, biometrics etc) will be determined and implemented by the cardholder's issuing bank.

Process 3: Get Authentication Result

After the challenge process is finished (or if the frictionless process results need to be shown in a separate page), we now need to request for the authentication result so that it can be used for the authorisation process.

⚠ Why a separate result request is necessary?

You may wonder why you need to request the result again since you already have the result of authentication available after process 2.

This is because the authentication result is returned to the authentication page in [Step. 13](#) by the 3DS Requestor. It is common that the authentication result page is shown as a separate page from the checkout page. In this case, the **3ds-web-adapter** could transfer the result back to the 3DS Requestor or the result page, however, it is not a recommended data flow as the authentication result is re-transferred by the client side code and is in general considered as insecure.

The server-side of the 3DS Requestor should always have its own mechanism to get the result back from the origin source: **ActiveServer**. Instead of transferring the result to the new result page, the 3DS Requestor server-side can provide a result page that shows the authentication result. Therefore, you need to request for a result receipt in this step.

Here in this demo, you can select [Show results in separate page >>](#) at the end of process 2 in the [process.html](#) page to show the result in a separate page.

To get the authentication result and show it in a separate page, the front-end needs to:

- Send a [Request for authentication result](#) message to the **3DS Requestor** ([Step. 15\(F\)](#) or [Step. 20\(C\)](#)).
- Show result on screen ([Step. 17\(F\)](#) or [Step. 22\(C\)](#)).

Firstly, in the [process.html](#) page, it will store the `serverTransId` into `sessionStorage` and go to [result.html](#) page.

```
//process.html
function openResultInNewWindow() {
  if (serverTransId) {
    var url = '/v1/result';

    sessionStorage.setItem("serverTransId", serverTransId);
    window.open(url, 'newwindow', 'height=800,width=1000');
  }
}
```

In the [v1/result.html](#) page, it call the `result()` method in **3ds-web-adapter** to get the authentication result. The `result()` method sends a [Request for authentication result](#) message to the backend. The backend will receive this request and call the `result` endpoint. To

check how the **back-end** handles this request, refer [here](#). The callback function `showData()` shows the results in the page.

```
//result.html
var serverTransId = sessionStorage.getItem("serverTransId");

//request for authentication result (Step 15(F) or Step 20(C))
result(serverTransId, showData);

//show result in separate page (Step 17(F) or Step 22(C))
function showData(type, data) {
    var toShow = "<dl class='row'>";
    Object.keys(data).forEach(function (k) {
        toShow = toShow + "<dt class='col-sm-4'>" + k + "</dt>" + "<dd class='col-sm-8'>" + data[k]
            + "</dd>";
    });
    toShow += "</dl>";
    $('#showResult').empty().append(toShow);
    $('#resultCard').removeClass("d-none");
}
```

The new result screen will look like the screenshot below:

Test Results

Test result values are displayed below

These values would generally be used to start the authorisation process. Select the "Back" button to restart this process.

dsTransID	822046a7-ea77-4332-9f12-eb295a38087a
eci	05
messageVersion	2.1.0
authenticationValue	AGMBAyVnCUQgAAAAAWcJAAAAAAAAA=
transStatus	Y
threeDSServerTransID	d4236aec-f619-440c-9ddc-2e97895b44a9

✓ Success

This covers the front-end integration. After authentication is completed the checkout process can proceed with the authorisation process using the Transaction Status, ECI and CAVV to complete the transaction.

 **Whats next?**

Select **Next** to learn about the **v1 Back-end implementation** for a 3DS Requestor.